maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	regarding this burden estimate ormation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	nis collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 1972	RT DATE  2. REPORT TYPE			3. DATES COVERED <b>00-00-1972 to 00-00-1972</b>	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Description of the Egg of Aedes (Aedimorphus) domesticus (Theobald) (Diptera: Culicidae)				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  Walter Reed Army Institute of Research, Department of Entomology, Washington, DC, 20012				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distributi	ion unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT <b>unclassified</b>	b. ABSTRACT <b>unclassified</b>	c. THIS PAGE unclassified	Same as Report (SAR)	3	

**Report Documentation Page** 

Form Approved OMB No. 0704-0188 Description of the Egg of Aedes (Aedimorphus) domesticus (Theobald) (Diptera: Culicidae) 1

John F. Reinert<sup>2</sup>
Department of Entomology
Walter Reed Army Institute of Research
Walter Reed Army Medical Center
Washington, D. C. 20012

The eggs of Aedes (Aedimorphus) domesticus (Theobald) are herein described for the first time. Aedes vexans (Meigen) is the only other species in the subgenus Aedimorphus which has the eggs described. The following description is based on 3 mature eggs extracted from the abdomen of a museum specimen which possessed the following collection data on the labels: NIGERIA, Lagos, 2 September 1929, C. B. Philip collector and genitalia preparation number T71.66. Nomenclature used follows that of Kalpage and Brust (1968) and Craig and Horsfall (1960).

DESCRIPTION OF THE EGG (Figs. 1-2)

Shape. Spindle-shaped; anterior end with sharp taper, posterior end with a more gradual taper; greatest diameter between anterior third and middle.

Size. Length 855-885 microns; width 242-255 microns. Color. Dark brown.

Chorion. Reticulation more distinct on anterior third and posterior third, composed of a pattern of axially arranged cells which are hexagonal and polygonal in shape and 3-6 times as long as wide; pattern differs on middle position (see figure 1).

## DISCUSSION

The eggs of <u>domesticus</u> have a similar shape and chorion sculpturing to those of <u>vexans</u> but can be distinguished from those of the latter species by their larger size. The above 3 eggs of <u>Aedes domesticus</u> have a length of 855-885 microns and a width of 242-255 microns while <u>vexans</u> from Manitoba, Canada, is recorded by Kalpage and Brust (1968: 711) as having a length of 630-745 microns and a width of 167-205 microns. Myers (1967: 796) records the length as 614-713 microns and the width as 199-224 microns for eggs of <u>vexans</u> from California and Nevada, U.S.A.

<sup>&</sup>lt;sup>1</sup>This work was supported by Research Contract No. DA-49-193-MD-2672 from the U. S. Army Medical Research and Development Command, Office of the Surgeon General and carried out at the Southeast Asia Mosquito Project, Smithsonian Institution, Washington, D. C. 20560.

<sup>&</sup>lt;sup>2</sup>Major, Medical Service Corps, U. S. Army.

## LITERATURE CITED

- Craig, G. B., Jr., and W. R. Horsfall. 1960. Eggs of floodwater mosquitoes. VII. Species of <u>Aedes</u> common in the southeastern United States (Diptera: Culicidae). Ann. Ent. Soc. Am. 53: 11-18.
- Kalpage, K. S., and R. A. Brust. 1968. Mosquitoes of Manitoba. I. Descriptions and a key to <u>Aedes</u> eggs (Diptera: Culicidae). Can. J. Zool. 46: 699-718.
- Myers, C. M. 1967. Identification and descriptions of <u>Aedes</u> eggs from California and Nevada (Diptera: Culicidae). Can. Ent. 99: 795-806.

## ACKNOWLEDGEMENTS

Special thanks are expressed to Dr. Botha de Meillon, Principle Investigator, Southeast Asia Mosquito Project (SEAMP) and LTC Bruce F. Eldridge, Chief of the Department of Entomology, Walter Reed Army Institute of Research, for reviewing the manuscript. I am grateful to Mr. Vichai Malikul, SEAMP, for preparing the illustrations. Sincere thanks are given to my wife, Mollie for typing the manuscript.




FIG. 1. Dorsoventral outline of <u>Aedes (Aedimorphus) domesticus</u>
egg illustrating shape and reticulation. Dorsal aspect
is towards the top and anterior end is to the left.




FIG. 2. Enlargement of egg chorion reticulation of <u>Aedes</u>

(<u>Aedimorphus</u>) <u>domesticus</u> from area indicated by the arrow in figure 1.